

RE: Proposed Filling Station and Business Premises Development on Erf 1071, Chatsworth, Swartland Municipality



Me <vivienne@overthemoon.co.za>

Fri, 23 Sep 2022 2:48:56 PM +0200 •

To "Charles J Malherbe" <cjmalherbe@wcdm.co.za>

Cc "wcdm correspondence" <mun@wcdm.co.za>

Dear Charles

Thank you for the West Coast District Municipalities prompt response.

Thank you,
Vivienne Thomson
Mobile: +2782 464 2874
Environmental Consultant



----- On Fri, 23 Sep 2022 14:43:21 +0200 Charles J Malherbe <cjmalherbe@wcdm.co.za> wrote -----

Good afternoon Vivienne

Please see attached comment from the Fire Chief.

Out of an Environmental Point of view I do not have any further comments.

Kind regards

C

From: Vivienne Thomson <vivienne@overthemoon.co.za>

Sent: Thursday, September 22, 2022 10:50 AM

To: Charles J Malherbe <cjmalherbe@wcdm.co.za>

Subject: Proposed Filling Station and Business Premises Development on Erf 1071, Chatsworth, Swartland Municipality

Importance: High

Dear Charles

Thank you for your time and our telephonic conversation earlier this morning.

As mentioned, the West Coast District Municipality has been registered as an Interested and Affected Party (I&AP) for the above-mentioned proposed project, even though the original public participation comment period on the draft basic assessment report (DBAR) closed in July 2022.

Over the Moon Consulting (OTM) apologises for this oversight and would greatly appreciate your comment on the DBAR:

1. All documentation for the DBAR is available on OTM's website at www.overthemoon.co.za. Use the drop-down menu and scroll down the public participation page and select the required project.
2. A cd copy of the DBAR will be posted to those registered I&APs who request one.

Also, as discussed, part of the Department of Environmental Affairs and Development Planning's comment on the DBAR was a request for an emergency response plan specific to Swartland Municipality's Fire and Emergency Response Service. I have drawn up a document (as attached), in conjunction with Swartland Municipality which will be part of the final BAR and specifically the EMPr. Please note that the West Coast District Municipality Emergency Services number is mentioned in the plan as an alternative emergency contact option to Swartland Municipality's Fire and Emergency Response Service (refer to Appendix A and B of the plan).

Should you have any comments, queries or concerns regarding the project, please notify OTM in writing by **22 October 2022**, at the contact details on the website or below.

Future correspondence will be sent to registered I&APs.

Note that in accordance with the Protection of Personal Information Act, No. 4 of 2013 (as amended), all correspondence received in relation to this project will be made public as part of the documents submitted/published. **Please inform OTM in writing should you want your details/comment to be kept private and not be published as part of the documentation submission for this project.**

OTM looks forward to your valued input.

Thank you,
Vivienne Thomson
Mobile: +2782 464 2874
Environmental Consultant



BS Bertus Senekal

Thu, 22 Sep 2022 12:05:45 +0000

Charles J Malherbe, Maryke Kotze, Franquin W. Petersen

Middag Charles,

Ek neem kennis van die e – pos.

Dit moet na Swartland Mun verwys word vir kommentaar en insette aangesien dit binne hulle regsgebied is.

Groete.

From: Charles J Malherbe <cjmalherbe@wcdm.co.za>

Sent: Thursday, 22 September 2022 11:05

To: Bertus Senekal <bsenekal@wcdm.co.za>; Franquin W. Petersen <fwpetersen@wcdm.co.za>

Cc: Nico de Jongh <ndejongh@wcdm.co.za>; WCDM Correspondence <mun@wcdm.co.za>

Subject: FW: Proposed Filling Station and Business Premises Development on Erf 1071, Chatsworth, Swartland Municipality

Importance: High

Hi Bertus/Franquin

Sien asb onderstaande e-pos en aanhangsel.

Ek neem aan julle sal ook kommentaar moet lewer op hierdie betrokke aansoek aan die betrokke konsultant uit 'n brandweeroogpunt/rampbestuursoogpunt.

Vriendelike groete

C

From: Vivienne Thomson <vivienne@overthemoon.co.za>

Sent: Thursday, September 22, 2022 10:50 AM

To: Charles J Malherbe <cjmalherbe@wcdm.co.za>

Subject: Proposed Filling Station and Business Premises Development on Erf 1071, Chatsworth, Swartland Municipality

Importance: High

Dear Charles

Thank you for your time and our telephonic conversation earlier this morning.

As mentioned, the West Coast District Municipality has been registered as an Interested and Affected Party (I&AP) for the above-mentioned proposed project, even though the original public participation comment period on the draft basic assessment report (DBAR) closed in July 2022.

Over the Moon Consulting (OTM) apologises for this oversight and would greatly appreciate your comment on the DBAR:

1. All documentation for the DBAR is available on OTM's website at www.overthemoon.co.za. Use the drop-down menu and scroll down the public participation page and select the required project.
2. A cd copy of the DBAR will be posted to those registered I&APs who request one.

Also, as discussed, part of the Department of Environmental Affairs and Development Planning's comment on the DBAR was a request for an emergency response plan specific to Swartland Municipality's Fire and Emergency Response Service. I have drawn up a document (as attached), in conjunction with Swartland Municipality which will be part of the final BAR and specifically the EMPr. Please note that the West Coast District Municipality Emergency Services number is mentioned in the plan as an alternative emergency contact option to Swartland Municipality's Fire and Emergency Response Service (refer to Appendix A and B of the plan).

Should you have any comments, queries or concerns regarding the project, please notify OTM in writing by **22 October 2022**, at the contact details on the website or below.

Future correspondence will be sent to registered I&APs.

Note that in accordance with the Protection of Personal Information Act, No. 4 of 2013 (as amended), all correspondence received in relation to this project will be made public as part of the documents submitted/published. **Please inform OTM in writing should you want your details/comment to be kept private and not be published as part of the documentation submission for this project.**

OTM looks forward to your valued input.

Thank you,
Vivienne Thomson
Mobile: +2782 464 2874
Environmental Consultant

